

Flexible multi-communication platforms



The answer to all your document handling needs

Setting the pace in black-and-white

The high-performance Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B take office productivity to a whole new level. Entirely custom-made, these multifunctional all-rounders unite a variety of functionalities to streamline your workflow. Furthermore, you obtain the cutting-edge strengths Ricoh stands for: ease of use, high productivity and state-of-the-art document management. With these highly advanced systems you are prepared to meet any modern office challenge.

MP 2550/MP 2550B

- High productivity: 25 ppm
- · Outstanding usability
- · Variety of customisation possibilities
- · Advanced document management
- MP 2550: standard colour scanning

MP 3350/MP 3350B

- · Exceptional speed: 33 ppm
- · Versatile document handling
- · Complete range of tailor-made options
- · Handy printing tools
- MP 3350: standard colour scanning



Delivering the office power you need

How can you limit costs while improving your document handling? As the business landscape changes due to technological progress, you need a progressive solution. Combining high-tech hardware with the latest software, the Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B fit that description perfectly.



Versatile finishing

To keep your document creation in house and produce your own professional looking output, the Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B can be equipped with one out of three finishers. You can even create high quality booklets if you opt for the 1,000-sheet booklet finisher.

Wide media versatility

The MP 2550/MP 2550B and MP 3350/MP 3350B support a variety of paper formats from A5 to A3. You can also print on thick paper up to 157 g/m² to create report covers and flyers. The vast maximum paper capacity of 3,100 sheets allows you to effortlessly handle larger jobs. No need to waste time on continuous refills.



Unique colour scanning & distribution


To save time and costs, you can distribute your information digitally. You can send colour documents as e-mail attachments combining 'scan to e-mail' and 'colour scanning'. In addition, you can scan to URL for reduced network traffic and unlimited file size requirements. 'Scan to NCP', on the other hand, meets the needs of Novell[®] network environment users.






Straightforward & simple

- 8.5-inch full colour touch panel for increased usability and accessibility.
- Simplified display showing only the most frequently used functions.
- Animated user guidance in case of irregularities.
- Easy handling paper trays for easy paper replenishment.



- Advanced access limitation (Windows® authentication).
- Erasing of temporary data on the Hard Disk Drive (Data Overwrite Security Unit).
- IP filtering & data encryption.
- Watermark protection greying out documents when copied on devices with a Copy Data Security Unit.



Copy Data Security Unit

Professional faxing

- Automatically distribute incoming faxes to e-mail or folder.
- Transmit faxes directly from the convenience of your own PC (LAN fax).
- Reduce costs by using the Internet for long distance faxing (Internet fax).
- Virtually eliminate the costs of sending (long distance) faxes by transmitting fax data over the IP/VoIP network (IP fax).



Like all Ricoh products, the MP 2550/MP 2550B and MP 3350/MP 3350B reflect Ricoh's commitment to the environment through:

- · the usage of toxic free materials;
- · energy-saving toner production;
- · paper-saving duplex capability;
- extremely low power consumption;
- · clean and quiet operation.



Meeting today's needs and tomorrow's requests

How can you speed up your workflow and make it more productive?
The Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B offer constructive answers. They are fully customisable and offer a variety of new, exciting benefits including excellent speeds and distribution possibilities.

- Print, copy, scan and fax from one device.
- Excellent productivity at 25/33 pages per minute.
- · Paper-saving duplex capability.

Impressive productivity

As office demands increase, so does your need for a highly productive partner. The Aficio[™]MP 2550/MP 2550B and Aficio[™]MP 3350/MP 3350B help you work smarter and faster. They produce output at a rapid 25/33 pages per minute, with equal duplex speeds. Waiting time is further reduced with a fast 14-second warm-up and a first copy speed of 4.5 seconds.

True multitasking

Printing, copying, faxing or scanning, you can now do it all from one office device. Network connectivity is ample, so these devices can be smoothly integrated into your existing workflow. For the optimisation of your entire document handling process, efficient document management tools are available. Using advanced device monitoring, the status of networked peripherals can be monitored and checked easily through web browsers.

A wealth of customisation possibilities

At Ricoh we design solutions to suit the way you work.

The Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B can be customised to your exact requirements. Choose from various printer/scanner upgrade options* and build the system that perfectly meets your needs.

* RPCSTM printer unit, Printer Enhance Unit and Scanner Enhance Unit.



Aficio MP 2550/MP 2550B

SPECIFICATIONS

Aficio MP 3350/MP 3350B

Power consumption:

COPIER			
Copying process:	Single laser beam scanning		
	& electro photographic printing		
Copy speed:	25/33 copies per minute		
Resolution:	600 dpi		
Multiple copy:	Up to 999		
Warm-up time:	Less than 14 seconds		
First output speed:	4.5 seconds		
Zoom:	25 - 400% (in 1% steps)		
Memory:	Standard:	256 MB	
	Maximum:	MP 2550B/MP 3350B:	
	512	MB + 40 GB Hard Disk Drive	
		MP 2550/MP 3350:	
	768 MB + 40 G	B Hard Disk Drive (standard)	
Paper input capacity:	Standard:	2 x 500-sheet paper trays	
	Maximum:	3,100 sheets	
Paper output capacity:	Standard:	500 sheets	
	Maximum:	1,625 sheets	
Paper size:	A5 - A3		
Paper weight:	Paper tray 1/duplex tray:	60 - 105 g/m ²	
	Paper tray 2/bypass tray:	52 - 157 g/m ²	
Dimensions (W x D x H):	570 x 653 x 709 mm		
Weight:	Less than 60 kg		

Scan speed:	MP 2550B/MP 3350B:	B/W: Maximum 50 originals per minute (MH, A4/LEF)
	MP 2550/MP 3350:	Full colour: Maximum
		29 originals per minute
		(MH, A4/LEF)
Resolution:	Maximum 600 dpi	
	(TWAIN: 1,200 dpi)	
Original size:	A5 - A3	
Bundled drivers:	Network TWAIN	
Scan to e-mail:	SMTP, TCP/IP	
Destination addresses:	Maximum 500 per job (stored: maximum 2,000)	
Address book:	Via LDAP or locally on Hard Disk Drive	
Scan to folder:	SMR_FTP_NCP protocol (with login security)	

nute .EF) Destination: Maximum 50 folders per job (S) SOFTWARE

SmartDeviceMonitor™, Web SmartDeviceMonitor™ 2, Web Image Monitor, DeskTopBinder™ Lite

C	RPCS™ PRINTER	UNIT (OPTION	IIT (OPTION)	
	Print speed:	25/33 prints per minute		
	Printer language:	Standard:	RPCS ^{TI}	
		Option:	PCL5e, PCL6, Adobe® PostScript® 377	
	Resolution:	Maximum 600 x 600 dpi		
		(2.400 x 600 dpi with smoothing)		

















PRINTER/SCANNER (OPTION FOR MP 2550B/MP 3350B)

Operation:

220 - 240 V, 50/60 Hz

Maximum 1.4 kW

	•	,	
PRINTER			
Print speed:	25/33 prints pe	r minute	
Printer language:	Option:	PCL5e, PCL6, RPCS™	
		Adobe [®] PostScript [®] 3™	
Resolution:	Maximum 600 x 600 dpi		
	(2,400 x 600 dpi with smoothing)		
Interface:	Standard:	USB 2.0, Ethernet 10 base-	
		100 base-TX	
	Option:	Bi-directional IEEE 1284	
		Wireless LAN (IEEE 802.11b/a/g)	
		Bluetooth, Gigabit Etherne	
Memory:	Maximum:	MP 2550B/MP 3350B: 512 ME	
		+ 40 GB Hard Disk Drive	
	Maximum:	MP 2550/MP 3350	
		512 MB x 768 ME	
		+ 40 GB Hard Disk Drive (standard)	
Network protocol:	TCP/IP, IPX/SPX, SMB, AppleTalk		
Supported environments:		Windows [®] 95/98/Me/NT4.0/2000/XF	
		Vista/Server 2003	
	Novell [®] NetWare [®] 3.12/3.2/4.1/4.11/5.0/5.1/6/6.5		
	UNIX Sun [®] Solaris 2.6/7/8/9/10		
		HP-UX 10.x/11.x/11iv2	
		SCO OpenServer 5.0.6/5.0.7	
	R	edHat [®] Linux 6.x/7.x/8.x/9.x/Enterprise	
		IBM [®] AIX v4.3/5L v5.1/5L v5.2/5.3	
		Macintosh 8.6 or later (OS X Classic)	
	N	Macintosh X v10.1 or later (native mode) SAP® R/3® (3.x or later)	
		SAP R/3 (3.x or later)	

NDPS Gateway Netware 5.1 (SP8 or later)

6.0 (SP5 or later)/6.5 (SP3 or later)

IBM® iSeries / AS/400 using OS

400 Host Print Transform

FAX (OPTION)		
Circuit:	PSTN, PBX	
Compatibility:	ITU-T (CCITT) G3	
	ITU-T (T.37) Internet Fax	
	ITU-T (T.38) IP Fax (print/scan functionality required)	
Modem speed:	Maximum 33.6 Kbps	
Resolution:	Standard/detail:	200 x 100/200 dpi
	Maximum:	400 x 400 dpi (option)
Compression method:	MH, MR, MMR, JBIG	
Scanning speed:	Less than 0.56 seconds (200 x 100 dpi, A4/SEF)	
Memory:	Standard/maximum:	12/44 MB
Memory backup:	Yes	

OTHER OPTIONS

Platen cover, 50-sheet Automatic Reverse Document Feeder, 100-sheet multi-bypass tray, 2 x 500-sheet paper trays, 2,000-sheet large capacity tray, 125-sheet one-bin tray, 500-sheet finisher, 1,000-sheet finisher, 1,000-sheet booklet finisher, Shift sort tray, Duplex unit, 2nd Super G3 port, Data Overwrite Security Unit, Copy Data Security Unit, File Format Converter, User Account Enhance Unit, Browser Unit, Scanner upgrade (for printer option), Printer upgrade (for RPCSTM printer unit), VM Card (JavaTM), Key Counter Bracket, PI Board, Bridge Unit, Interchange Unit, Professional software solutions

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.

ISO9001: 2000 certified ISO14001 certified

Ricoh has designed these products to meet EC ENERGY STAR guidelines for energy

Ricoh believes in conserving the earth's precious natural resources. This brochure is printed on environmentally friendly paper: 50% recycled fibres, 50% chlorine free bleached pulp.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2008 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

RICOH

