Ricoh Aficio MP 171 Digital Imaging System Big Performance, Small Footprint

compact



СОН

ficio MP 171

# versatile

Device Acc

# efficient

Adaber PostScript 3

## **Ricoh Aficio MP 171**

Handle anything with a system that does everything. To keep pace with the competition, you need to perform a wide range of document tasks quickly and easily. That is why the RICOH® Aficio® MP 171 is the right choice for fast-paced small offices and departmental workgroups. It delivers all of the capabilities you need and the value you demand—in a single, compact system.

> Aficio MP 171

> > 1 1 81/2×110

2 8/2×110

Adabe PostScripe 1

## **ConveniencePerformanceVersatilityValue**

#### **Increase Your Productivity**

#### Trust the Ricoh Aficio MP 171 Digital Imaging System to help you accomplish more work in less time, for a lower total cost of ownership.

- Complete document tasks quickly with a 17 page-per-minute output speed.
- Copy and scan large documents—such as booklets, brochures and oversized pages—on the legal-size platen.
- Reduce interruptions caused by the need for frequent paper replenishment. The Ricoh Aficio MP 171 holds up to 1,350 sheets so you can run longer jobs without pausing.
- Create a wider variety of documents with two optional paper trays. Keep 8.5" x 11" paper in the standard tray, and legal-size paper and specialty stocks in the optional trays.
- Print a PDF or JPEG attachment automatically by sending an e-mail directly to the system with the Mail-to-Print feature, which saves time and improves flexibility.

## **Expand Your Connectivity**

#### To ensure fast integration, the Ricoh Aficio MP 171 Digital Imaging System includes everything you need to connect in a wide range of stand-alone and networked environments.

- Utilize a wider range of print streams with PCL5e/6, support for XPS and optional genuine Adobe® PostScript® 3<sup>™</sup>.
- Accommodate offices with a variety of networking needs. The system integrates seamlessly in Windows, Macintosh or UNIX environments with standard 10Base-T/100Base-TX Ethernet and USB 2.0 interfaces, as well as optional Gigabit Ethernet, IEEE 802.11a/b/g and IEEE 1284 interfaces.
- Minimize wait time and relieve network congestion with PDF Direct Print, which enables you to print PDFs without opening each file in Adobe® Acrobat®.

## **Energize Your Scanning**

Full-color scanning enables you to scan and deliver brochures, business cards, photos and other important documents—and retain the full impact of color.

- Meet tight deadlines and eliminate overnight delivery charges when you distribute full-color documents via Scan-to-Email or to network folders via Scan-to-Folder.
- Make any hard copy document portable in seconds with the Scan-to-Media option, which loads scanned files directly to a USB drive or SD card.
- Save time by retrieving e-mail addresses directly from your corporate address book with LDAP support.
- Help protect sensitive or confidential scanned documents with security features, including encrypted PDF transmission.



Opening and closing paper trays is easy for anyone with the optional accessibility handle.



Cut paper usage in half with standard automatic two-sided (duplex) output.



Take your documents on the go with the easy and convenient Scan-to-Media option.

## **CopyPrintScanSecure**

### **Increase Document Security**

## The Ricoh Aficio MP 171 Digital Imaging System makes it easy to increase security and ensure easy network administration.

- Ensure security with multi-level authentication which lets you confirm user identity and control access to scanning and other functions.
- Prevent confidential documents from unauthorized viewing with Locked Print. It requires a password before it releases any file for output and deletes the file automatically from the MFP's optional hard drive.
- Reduce the risk of wiretapping with encrypted PDF transmission. This feature encrypts PDF data prior to transmission via Scan-to-Email and Scan-to-Folder.
- Protect critical documents with the optional DataOverwriteSecurity System (DOSS)—which overwrites the hard drive after every job or use the HDD Encryption option to safeguard valuable data, even if the hard drive is stolen.

## Simplify System Management

#### Manage the Ricoh Aficio MP 171 remotely and control document workflow right from your desktop with user-friendly utilities.

- Allocate print jobs to specific clients, workgroups or projects for chargeback using the Classification Code feature.
- View and adjust system settings, see print job status, check supply levels and perform other administrative tasks remotely with Web Image Monitor.
- Manage multiple networked Ricoh systems with Web SmartDeviceMonitor.
- Eliminate manual meter data submission with the Ricoh @Remote Intelligent Management System.
- Take advantage of the Software Development Kit (SDK) a first for this class of the Ricoh Aficio MP 171 Digital Imaging System—to create or integrate customized applications that automate workflow.



## The Total Green Office Solution



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

## **CompactAffordableFlexibleReliable**

## Everything you need to streamline workflow.



## **Ricoh Aficio MP 171**

### **Specifications**

#### **General Specifications**

| Configuration        | Console                                   |
|----------------------|---|
| Scanning Element     | Flatbed with CCD array image-sensor       |
| Printing Process     | Laser beam scanning/marking & electro-    |
| 5                    | photographic printing                     |
| Toner                | Dry, dual component                       |
| System Memory        | 16 MB/640 MB + 80 GB HDD                  |
| (Std./Max.)          |   |
| Output Speed         | 17 ppm (simplex), 10 ppm (duplex)         |
| (Copy/Print)         | ··· hh··· (•···h·•·// · • hh··· (••h·•·/  |
| Warm-Up Time         | Less than 10 seconds                      |
| First Copy Time      | 7.5 seconds or less                       |
| Recovery Time        | Less than 10 seconds                      |
| (from Auto Off)      | Less than to seconds                      |
| Copy Resolution      | 600 x 600 dpi                             |
| Grayscale            | 256 levels                                |
| Exposure Adjustment  |   |
| Multiple Copies      | Up to 99                                  |
| Document Feeder      | Automatic Reversing Document Feeder       |
| (Standard)           | (ARDF)                                    |
| Original Capacity    | 50 sheets                                 |
| Paper Sizes          | Standard Tray: 5.5" x 8.5" – 8.5" x 11"   |
| aper sizes           | Optional Tray: 8.5" x 11" – 8.5" x 14"    |
|                      | Bypass Tray: 5.5" x 8.5" – 8.5" x 14"     |
|                      | Duplex Unit: 8.5" x 11" – 8.5" x 14"      |
| Paper Weights        | Standard/Optional Trays: 16 – 24 lb.      |
| ·                    | Bond                                      |
|                      | Bypass Tray: 16 – 42 lb. Bond             |
|                      | Duplex Unit: 20 – 24 lb. Bond             |
| Exposure Glass       | Up to 8.5" x 14"                          |
| Input Capacity       | Standard: 250 sheets + 100-Sheet          |
| input capacity       | Bypass Tray                               |
|                      | Optional: 500 sheets x 1 or 2 Trays       |
| Output Capacity      | 250-Sheet Internal Tray                   |
| Paper Types          | Plain paper, laser printer qualified      |
| Tuper Types          | transparencies, labels, envelopes         |
| Auto Duplex          | Standard                                  |
| Zoom                 | 50% – 200% in 1% increments               |
| Preset Reduction and | 65%, 78%, 93%, 129%, 155%                 |
| Enlargement Ratios   | 0570,7070,5570,12570,15570                |
| Dimensions (WxDxH)   | 19.09" x 17.72" x 18.94"                  |
| Weight               | 59.53 lbs.                                |
| Power Requirements   | 120V, 60Hz, 8A                            |
| Standard Features    | Combine Copy, Duplex Copying,             |
| standara reatures    | Electronic Sort, Photo Mode, Series Copy  |
|                      | Electronic bort, i noto mode, belles copy |
|                      |   |

#### **Printer Specifications**

| Max. Print Speed           | 17 ppm   |  |
|----------------------------|--|--|
| CPU                        | RM5231 400 MHz                                   |  |
| Memory Capacity            | Standard: 640 MB (128 MB Resident +              |  |
|                            | 512 MB DIMM)                                     |  |
|                            | Optional: 80 GB HDD                              |  |
| Page Description           | Standard: PCL5e/6                                |  |
| Languages                  | Optional: Genuine Adobe® PostScript® 3™          |  |
| Maximum Print              | 600 x 600 dpi                                    |  |
| Resolution                 |  |  |
| Standard Interfaces        | 10Data T(100Data T)( Ethermat (D) 4E)            |  |
| Standard Interfaces        | 10Base-T/100Base-TX Ethernet (RJ-45),<br>USB 2.0 |  |
| <b>Optional Interfaces</b> | IEEE 802.11a/b/g, IEEE 1284, Gigabit             |  |
|                            | Ethernet   |  |
| Network Protocols          | TCP/IP (IPv4, IPv6), IPX/SPX, Apple Talk         |  |
| Fonts for PCL 5e/6         | 45 Roman Fonts                                   |  |
| Fonts for PS3              | 136 Roman Fonts                                  |  |
|                            |  |  |
| Network Operating          | Windows 2000/XP/Vista/Server 2003/               |  |
| Systems                    | Server 2008, Server 2012; Novell                 |  |
|                            | Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1,          |  |
|                            | 6.0, 6.5; UNIX Filters for Sun Solaris           |  |
|                            | 2.6/7/8/9/10; HP-UX 10.x/11.x/11iv2/             |  |
|                            | 11iv3; Red Hat Linux 6.x, 7.x, 8.x, 9.x,         |  |
|                            | Enterprise; SCO OpenServer 5.0.6/                |  |
|                            | 5.0.7/6.0; IBM AIX V4.3 & 5L Version             |  |
|                            |  |  |
|                            | 5.1/5.2/5.3; Mac OS 8.6 – 10.x; OSX              |  |
|                            | 10.1 or later                                    |  |
| Utilities                  | SmartDeviceMonitor for Admin and                 |  |
|                            | Client, Web SmartDeviceMonitor,                  |  |
|                            | Web Image Monitor                                |  |
|                            |  |  |
| Other Printer Features     |  |  |

#### Othe Bonjour Support, Classification Code, Mail-to-Print, PDF

Direct Print, Sample/Hold/Stored/Locked Print, Store-and-Print, WSD Printer

#### **Scanner Specifications**

| Scanning Speed      | Embedded Scan-to-Email: 22 ipm @<br>200 dpi BW; 10 ipm @ 200 dpi<br>Full-Color |
|---------------------|--|
| Scanning Resolution | 100 – 600 dpi  |
| Grayscale           | 256 levels   |
| Scan Area           | Main: 8.5" (216 mm)  |

| Compression Method<br>Scan Mode                            | Sub: 14.02" (356 mm)<br>BW: TIFF (MH, MR, MMR)<br>Grayscale: JPEG<br>Full-Color: JPEG<br>BW: Text, Text/Line Art, Text/Photo,<br>Photo, Grayscale             |
|--|---|
| Standard Interfaces<br>Optional Interfaces<br>File Formats | Full-Color: Text/Photo, Glossy Photo<br>10Base-T/100Base-TX<br>IEEE 802.11a/b/g<br>Single Page PDF, TIFF, JPEG, Multi Page<br>PDF, TIFF                       |
| Scan-to Modes<br>Supported                                 | Scan-to-Email (with LDAP support);<br>Scan-to-Folder (SMB/FTP/NCP);<br>Network TWAIN Scanning;<br>Scan-to-Media (USB/SD optional);<br>WSD Scanner (for Vista) |

#### **PS480 Paper Bank (Optional)**

| Paper Size     | 8.5" x 11" SEF, 8.5" x 14" SEF |
|----------------|--------------------------------|
| Paper Weight   | 16 – 24 lb. Bond               |
| Paper Capacity | 500 sheets x 1 or 2 Trays      |

#### **Additional Options**

Accessibility Handle Type C, Adobe® PostScript® 3™ Unit Type 171, Counter Interface Unit A, Data Overwrite Security Unit Type I, FAC19 Cabinet, FAC44 Cabinet, Gigabit Ethernet Board Type A, Hard Disk Drive Option Type 171, HDD Encryption Unit Type A, HD-PLC Ethernet Adaptor, IEEE 1284 Interface Board Type A, IEEE 802.11a/b/g Interface Unit Type L, Java VM Card Type L, Printer Scanner Unit Type 171, USB 2.0/SD Slot Type B

#### Consumables\*

Black Toner Cartridge 7K \*Toner yield is based on 6% coverage.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.



Ricoh Americas Corporation, 70 Valley Stream Parkway, Malvern, PA 19355 Ricoh<sup>3</sup> and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual very depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

